


# Nachrichten des Entomologischen Vereins Apollo



- 97 **ECKWEILER, W.:** Neue Taxa des Subgenus *Agrodiaetus* Hübner, 1822 aus Iran und China (Lepidoptera: Lycaenidae, Gattung *Polyommatus*)
- 101 **PEIGLER, R. S.:** New and reinterpreted observations on *Actias luna* (Linné, 1758) (Lepidoptera: Saturniidae)
- 105 **KÖSTLER, W.:** Außergewöhnliche Raupenzeichnung bei einer Population von *Parnassius mnemosyne* (Linné, 1758) in Griechenland (Lesitse-Gebirge, Anatolische Rhodopen) (Lepidoptera, Papilionidae, Parnassiinae)
- 108 **Buchbesprechung:** Alexander S. S. (2013): World catalogue of insects, volume 11, Notodontidae & Oenosandridae
- 109 **MIELKE, C. G. C., & HAXAIRE, J.:** A Hawk Moths fauna of southern Maranhão state, Brazil, with description of a new species of *Orecta* Rottschil, 1903 and the female of *Nyceryx mielkei* Hübner, 2009 (Lepidoptera: Sphingidae)
- 117 **KUDRNA O., & FRIC, Z. F.:** On the identity and taxonomic status of *Lycaenaalcon rebeli* Hübner, 1905 — a long story of confusion and ignorance resulting in the fabrication of a “ghost species” (Lepidoptera: Lycaenidae)
- 125 **DE FREINA, J. J.:** *Synanthedon angolana* sp. n., eine neue Glasflüglerart aus Angola (Lepidoptera: Sesiidae, Sesiinae, Synanthedonini)
- 127 **DE FREINA, J. J., & FISCHER, H.:** Zur Verbreitung und Morphologie von *Europlema semibrunnea* (Pagenstecher, 1884) mit Erstnachweis für die Malediven und Bemerkungen zur Besiedlungsgeschichte des Archipels (Lepidoptera: Uraniidae, Epipleminae)
- 133 **KOREN, T., ČRNE, M., & ŠPANIĆ, R.:** On the questionable record of the Balkan Grayling, *Hipparchia synthetis* (Fruhstorfer, 1908), in Croatia (Lepidoptera: Nymphalidae, Satyrinae)
- 137 **CASSIDY, A.:** On some type specimens of Lycaenidae from South East Asia (Lepidoptera)

Copyright © 2013 by Entomologischer Verein Apollo e.V., Frankfurt am Main, Germany.

All rights reserved.

No part of this publication may be reproduced in any form, or be used, stored, propagated and distributed using electronic media without written permission of the editor. Authors that receive the pdf version may use it for private exchange with colleagues or for sending on request, only. Online-access in the internet is not allowed except by written permission of the editor.

Alle Rechte vorbehalten.

Kein Teil dieser Publikation darf ohne schriftliche Genehmigung des Herausgebers in irgendeiner Form reproduziert oder unter Verwendung elektronischer Systeme verarbeitet, gespeichert, vervielfältigt oder verbreitet werden. Die Autoren erhalten die pdf-Version nur für den privaten Austausch mit Fachkollegen oder für den Versand auf einzelne Anfragen hin. Sie darf nicht ohne schriftliche Genehmigung des Herausgebers im Internet zugänglich gemacht werden.

ISSN 0723-9912

Jahrgang 34  
Heft 3  
November 2013

















MERS; their help has been most useful for the successful completion of this paper.

The research leading to this publication constitutes a part of CLIMIT ([www.climit-project.net](http://www.climit-project.net), an internationally funded project of the Helmholtz Centre for Environmental Research – UFZ). The project funds covered a substantial part of the expenses involved with visits of the above mentioned museums in search of material including the examination of type material. A smaller proportion of the expenses had to be covered by one of the authors (O.K.) from his pension.

## References

- ALS, T. D., VILA, R., KANDUL, N. P., NASH, D. R., YEN, S. H., HSU Y. F., MIGNAULT, A. A., BOOMSMA, J. J., & PIERCE, N. E. (2004): The evolution of alternative parasitic life histories in large blue butterflies. – *Nature*, London, **432**: 386–390.
- [ANONYMOUS] (1921): Hans HIRSCHKE. – *Zeitschrift des Österreichischen Entomologen-Vereins*, Wien, **6**: 39–40.
- BÁLINT, Z. (1994): Adalékok a Balkán boglárkalepke-faunájához. [Contribution to the lycaenid butterfly fauna of the Balkans]. – *Janus Pannonius Múzeum Évkönyve*, Pécs, **39**: 69–77.
- BERECZKI, J., PECSENEYE, K., PEREGOVITS, L., & VARGA, Z. (2005): Pattern of genetic differentiation in the *Maculineaalcon* species group in Central Europe. – *Journal of Zoological Systematics and Evolutionary Research*, Oxford & Berlin, **43**: 157–165.
- BERGER, L. (1946): *Maculinea rebeli* HIRSCHKE, bona species. – *Lam-billionea*, Brussels, **46**: 95–110.
- BETHUNE-BAKER, G. T. (1914): Synonymic notes on the Ruralidae. – *The Entomologist's Record and Journal of Variation*, London, **26**: 159–164.
- BEURET, H. (1949): Contribution à l'étude du groupe *Maculineaalcon* SCHIFF.–*rebeli* HIRSCHKE. – *Bulletin de la Société entomologique de Mulhouse*, Mulhouse, **1949**: 1–6, 9–14, 17–21, 25–28, 33–36, 41–44, 49–51.
- (1953–1961): Die Lycaeniden der Schweiz (3 parts). – Basel (Entomologische Gesellschaft), 420 pp., 3 pls.
- DOHERTY, W. (1892): New and rare Indian Lycaenidae. – *Journal of the Asiatic Society of Bengal*, Calcutta, **60** [1891]: 32–38.
- EBERT, G. (1961): Vorkommen und Verbreitung einiger schwieriger Rhopaloceren-Arten in Nordbayern. – *Nachrichtenblatt der Bayerischen Entomologen*, München, **10**: 49–56, 59–67.
- FIEDLER, K. (1998): Lycaenid-ant interactions of the *Maculinea* type: tracing their historical roots in a comparative framework. – *Journal of Insect Conservation*, London, **2** (1): 3–14.
- FORSTER, W., & WOHLFAHRT, T. A. (1952–1955): Die Schmetterlinge Mitteleuropas. Bd. 2. Tagfalter. – Stuttgart (Franckh'sche Verlagshandlung), [viii] + 126 pp., 28 col. pls. + legends.
- FRIC, Z., KUDRNA, O., PECH, P., WIEMERS, M., & ZRZAVY, J. (2010): Comment on the proposed precedence of *Maculinea* VAN EECKE, 1915 over *Phengaris* DOHERTY, 1891 (Lepidoptera, Lycaenidae). (Case 3508; see BZN **67**: 129–132). – *Bulletin of Zoological Nomenclature*, London, **67**: 315–319.
- , WAHLBERG, N., PECH, P., & ZRZAVY, J. (2007): Phylogeny and classification of the *Phengaris*–*Maculinea* clade: Total evidence and phylogenetic species concepts. – *Systematic Entomology*, London, **32**: 558–567.
- HABELER, H. (2008): Die subalpin-alpinen Lebensräume des Bläulings *Maculinea rebeli* (HIRSCHKE, 1904 [sic]) in den Ostalpen. – *Joannea, Zoologie*, Graz, **10**: 143–164.
- HIGGINS, L. G., & RILEY, N. D. (1970): A field guide to the butterflies of Britain and Europe. – London (Collins), 380 pp.
- HIRSCHKE, H. (1905): Eine neue hochalpine Form der *Lycaenaalcon* F. aus den steierischen Alpen. – *Jahresbericht des Wiener Entomologischen Vereins*, Wien, **15** [1904]: 109–111, pl. II.
- ICZN [INTERNATIONAL COMMISSION ON ZOOLOGICAL NOMENCLATURE, ed.] (1999): International Code of Zoological Nomenclature, fourth edition, adopted by the International Union of Biological Sciences. – London (International Trust for Zoological Nomenclature, BMNH), xxix + 306 pp. – The Code can also be found in the WWW under [iczn.org](http://iczn.org).
- KARL, I., GEISTER, T. L., & FISCHER, K. (2009): Intraspecific variation in wing and pupal melanization in copper butterflies. – *Biological Journal of the Linnean Society*, London, **98**: 301–312.
- KORB, S. K. (2011): A review of the subgenus *Maculinea* VAN EECKE, 1915 of the genus *Phengaris* DOHERTY, 1891 of the Palaearctic fauna. – *Eversmannia*, Tula, **27/28**: 22–46.
- KUDRNA, O. (1977): A revision of the genus *Hipparchia* FABRICIUS. – Faringdon (E. W. Classey), 300 pp.
- (2001). Miscellaneous notes on the taxonomy of four European butterflies. – *Entomologist's Gazette*, Faringdon, **52**: 253–261.
- (2002): The distribution atlas of European butterflies. – Oedippus, Schweinfurt, **20**: 1–342.
- & BELICEK, J. (2005). On the “Wiener Verzeichnis”, its authorship and the butterflies named therein. – *Oedippus*, Schweinfurt, **23**: 1–32.
- LORKOVIC, Z. (1974): Die Verteilung der Variabilität von *Hipparchia stailinus* HUFN. in Beziehung zum Karstboden des ost-adriatischen Küstenlandes. – *Acta Entomologica Jugoslavica*, Zagreb, **10**: 41–53.
- MAYR, E. (1971): Populations, species and evolution. – Cambridge, Mass. (Harvard University Press), 468 pp.
- OTAKI, J. M., HIYAMA, A., IWATA, M., & KUDO, T. (2010): Phenotypic plasticity in the range-margin population of the lycaenid butterfly *Zizeeria maha*. – *BMC Evolutionary Biology*, London, Berlin, Heidelberg, **10**: 252 ([www.biomedcentral.com/1471-2148/10/252](http://www.biomedcentral.com/1471-2148/10/252)).
- PECH, P., FRIC, Z., & KONVICKA, M., & ZRZAVY, J. (2007): Species-specificity of the *Phengaris* (*Maculinea*)–*Myrmica* host system: Fact or myth? – *Sociobiology*, Chico (Calif.), **50** (3): 1–21.
- , —, & — (2004): Phylogeny of *Maculinea* blues based on morphological and ecological characters: evolution of parasitic myrmecophily. – *Cladistics*, London, **20**: 362–375.
- PIERCE, N. E., BRABY, M. F., HEATH, A., LOHMAN, D. J., MATHEW, J., RAND, D. B., & TRAVASSOS, M. A. (2002): The ecology and evolution of ant association in the Lycaenidae (Lepidoptera). – *Annual Review of Entomology*, Stanford (USA), **47**: 733–771.
- SCHULTE, A. (1958): Verschiedene Valvenformen als Hauptunterscheidungsmerkmal der Lycaeniden: *Maculineaalcon* SCHIFF. und *Maculinea rebeli* ssp. *xerophila* BERGER im nordwestdeutschen Raum. – *Entomologische Zeitschrift*, Stuttgart, **68** (20): 233–234.
- SCUDDER, S. G. (1872): A systematic revision of some of the American butterflies; with brief notes on those known to occur in Essex County, Mass. – Fourth Annual Report of the Trustees of the Peabody Academy of Science for the year 1871: 24–83.
- SEITZ, A. (1909): 34. Gattung: *Lycaena* F. – Pp. 298–322, pls. 78–83. – In: SEITZ, A. (1907–1909), Die Groß-Schmetterlinge der Erde. Eine systematische Bearbeitung der bis jetzt bekannten Großschmetterlinge. I. Abt., Die Großschmetterlinge des Palaearktischen Faunengebiets. 1. Bd., Die palaearktischen Tagfalter. – Stuttgart (F. Lehmann), [4] + [A–C] + 379 pp. + 89 pls.
- SETTELE, J., KÜHN, E., & THOMAS, J. (eds.) (2005): Studies on the ecology and conservation of butterflies in Europe. Vol. 2. Species ecology along a European gradient: *Maculinea* butterflies as a model. – Sofia & Moscow (Pensoft), 289 pp.
- TSHIKOLOVETS, V. V. (2011): Butterflies of Europe & the Mediterranean area. – Pardubice (Tshikolovets Publications), 544 pp.
- VAN EECKE, R. (1915). Bijdrag tot de kennis de Nederlandske *Lycaena*-sorten. – *Zoologische Mededelingen*, Leiden, **1**: 22–31.
- VERITY, R. (1943): Le farfalle diurne d'Italia. Vol. 2. Divisione Lycaenida. – Firenze (Casa Editrice Marzocco), 401 pp.

Received: 19. III. 2013